

# PRODUCT DATA SHEET SURFACE CLEANER T0340

#### Features & Uses

General purpose surface cleaner used to wipe down substrates, finish primers and topcoats before and after sanding. Use the Two Cloth Method to apply and remove the T0340.

#### **Specification Data**

Type: SURFACE CLEANER - Surface cleaner for substrates, finish primers and topcoats

Packaging: Available in 1 gallon and 1 quart containers.

VOC: T0340: 750 g/lt or 6.26 lbs/gallon

## Product Components, Reducers, Additives and Auxiliary Components

Not applicable.

### **Application Equipment**

Clean, oil free, dry cotton cloths or prepackaged surface cleaning lint free towels designed for solvent wiping.

#### **Surface Preparation**

A clean, dry surface is essential to the success of any coatings application. Remember - Clean before sanding. Sanding often melts greases, waxes and oils into the surface making it difficult to obtain a clean surface.

Care should be used when wiping primed or painted surfaces which are not fully cured. Wipe down products can attack an epoxy or urethane coating as well as some polyester fillers which are not fully cured. Usually an epoxy or urethane surface which can be sanded is cured enough to be wiped down with Surface Cleaner T0340, but not de-waxing or degreasing solvents. Polyester fillers are often sensitive to the types of solvents in surface cleaners. Always check a small area before beginning the Two Cloth Method on a primed or topcoated surface.

#### NOTE: Detergent Scrubbing

Many applicators scrub the surface they are going to paint with household cleanser and a 3M Scotch-Brite® Pad before any other preparation work is performed. This is an excellent practice as careful observation of the rinse water will tell you when you have a clean surface. Breaks, holes or beading of the rinse water indicate areas which need additional cleaning.

## Mixing & Reduction

None required.

#### **Application Instructions**

#### Two Cloth Cleaning Method:

1. The surface should be cleaned thoroughly of all dust. Use a vacuum to remove dust or use clean dry compressed air to blow while wiping with clean, oil free, dry cotton cloths. A majority of dust and dirt should be removed before wiping down with Surface Cleaner T0340.

2270 Morris Avenue • Union, New Jersey 07083 • USA • Tel: 888.355.3090 • Fax: 908.686.1752

Bannerlaan 54 • B-2280 Grobbendonk • Belgium • Intl. Tel: 32.14.257770 • Intl. Fax: 32.14.230880

76 Waterway Drive • Coomera • QLD 4209 • Australia • Tel: 61.7.5573.9655 or 1800.007.866 • Fax: 61.7.5573.9677

686 Rosebank Road • Avondale • Auckland • New Zealand • Tel: 64.9.828.3009 or 0800.150.527 • Fax: 64.9.828.1129

No.1 Tuas Avenue 4 • Singapore 639382 • Tel: 65.6862.2928 • Fax: 65.6862.0778



# PRODUCT DATA SHEET SURFACE CLEANER T0340

- 2. Soak one cloth in Surface Cleaner T0340. Use this cloth to wet the surface.
- 3. Use a dry second cloth to wipe the surface dry and lift the contamination off the surface.
- \* Work small areas (4 sq. feet / 0.4 sq. meters or less) to keep the surface cleaner from drying before the second rag wipes the surface clean and dry.
- Repeat steps 2 and 3, changing rags frequently, until the surface is residue free.

#### **WARNING**:

Wiping the surface with one wet cloth only smears contamination around. Be sure the cloth used does not have any contaminants; clean cotton or prepackaged surface cleaning lint free towels designed for solvent wiping work the best. The surface must be dry before using tack rags.

#### **IMPORTANT**

Before mixing, read Material Safety Data Sheet for health hazard and safety information.

### **WARNING!**

DO NOT incorporate into this Awlgrip Coating System, any thinner, additive, modifier, converter, or related product produced by any manufacturer other than Awlgrip. Any such substitution can jeopardize the unique chemical characteristics provided by each of the Awlgrip Coating system.

#### FOR INDUSTRIAL USE ONLY

This product is for use by professional, trained, personnel using proper equipment and is not intended for sale to or use by, the general public.

The information in this Product Data Sheet is not intended to be exhaustive. Any person using the product without first making further enquiries as to the suitability of the product for the intended purpose does so at their own risk and, to the extent permitted by law, we can accept no responsibility for the performance of the product or for any loss or damage arising out of such use. The information contained in this Product Data Sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.

Awlgrip® and all products mentioned in this Product Data Sheet are trademarks of, or licensed to, Akzo Nobel.

© AkzoNobel, 2011

2270 Morris Avenue • Union, New Jersey 07083 • USA • Tel: 888.355.3090 • Fax: 908.686.1752

Bannerlaan 54 • B-2280 Grobbendonk • Belgium • Intl. Tel: 32.14.257770 • Intl. Fax: 32.14.230880

76 Waterway Drive • Coomera • QLD 4209 • Australia • Tel: 61.7.5573.9655 or 1800.007.866 • Fax: 61.7.5573.9677

686 Rosebank Road • Avondale • Auckland • New Zealand • Tel: 64.9.828.3009 or 0800.150.527 • Fax: 64.9.828.1129

No.1 Tuas Avenue 4 • Singapore 639382 • Tel: 65.6862.2928 • Fax: 65.6862.0778