

FLINTS FESTOOL FRENZY

FFF

TS 55 R PLUNGE SAW

FES561583

LIST PRICE: £439.00

NORMAL PRICE:
£386.32



FFF
PRICE:

£351.83!



FFF
PRICE:

£228.80!

PENDULUM JIGSAW CARVEX PSB 420

FES561605

LIST PRICE: £286.00

NORMAL PRICE:
£251.68

FIRST
10 TOOLS
BOUGHT GET

FREE

SYSTAINER
CARRY TRAY!

FESSYSTB1

FFF
PRICE:

£260.00!



CTL MIDI DUST EXTRACTOR

FES584162

LIST PRICE: £325.00

NORMAL PRICE:
£286.00

ALL PRICES LISTED
EXCLUDE VAT
SPECIAL FFF
PRICE SUBJECT TO
CONDITIONS, SEE
OVERLEAF FOR
FULL DETAILS

HERE'S HOW IT WORKS:

We will sell you the very best
FESTOOL POWER TOOLS
at
MASSIVELY REDUCED PRICES*

WHAT'S THE CATCH!?

There isn't one! You simply have to agree to us registering the tool for the free **SERVICE all-inclusive** from Festool and receive all these benefits:

36 MONTHS FREE THEFT PROTECTION

Less complicated than insurance cover. Festool SERVICE all-inclusive insurance offers 36 months of protection against theft. Whether your machine is stolen from a workshop, vehicle or construction site, you will receive a brand new machine for an excess fee of only £100 inc VAT!

RISK FREE PURCHASE WITH A 15 DAY TRIAL

Test your new Festool Power Tool within 15 days of purchase; if the machine does not live up to expectations, simply return it to FLINTS to receive a refund of the purchase amount, allowing you total investment security.

36 MONTHS COST PROTECTION GUARANTEE

No more annoying cost estimates and invoices. SERVICE all-inclusive from Festool is a comprehensive 36-month machine guarantee that includes all wear parts! In addition to material and manufacturing defects, the guarantee covers all wear parts (e.g. battery packs, carbon brushes, ball bearings, sealing rings, switches).

10 YEAR SPARE PARTS AVAILABILITY

Festool machines are high-quality, hard-wearing products designed for use in the long term. To ensure the machines perform for many years, Festool guarantees availability of spare parts for 10 years after the product is discontinued. If they no longer stock your spare part for the period specified, they will replace your machine with a new model free of charge. Many spare parts from our older models are available for longer than 10 years.

FAST ONLINE REPAIR AND PICK-UP SYSTEM

Order repairs quickly and easily through your myFestool account. Festool will arrange collection and return of your tools, will send email and SMS updates with progress made on the repair making it easier for you to get back to work ASAP.

TIME TO STOCK UP – THIS OFFER CAN'T LAST FOREVER
FIRST 10 TOOLS GET A FREE SYSTEMER CARRY TRAY

*Available only on Festool Power Tools. Accessories are not included. Subject to stock availability. Flints reserve the right to withdraw this promotion at any time. The promotional price is only available to customers willing to allow us to register the tool on their behalf. Any attempt to purchase the tool at the discounted price will result in an assumption of agreement to register the tool. No tools will be eligible for resale.

FESTOOL CORDLESS DRILLS



Festool CXS Cordless Drill Set 10.8 V This neat, lightweight tool has been updated with an even longer running battery. A great choice if a lot of your work involves difficult or awkward spaces. SPECIFICATION: Battery voltage: 10.8 V. Idling speed: 1st gear/2nd gear: 0 - 430/0 - 1,300 min⁻¹. Drilling diameter: wood/steel 12/8 mm. Torque adjustment: 0.3 - 3.4 Nm. Max torque: wood/steel 10/16 Nm. Chuck range: 1 - 10 mm. Battery: BP-XS Li-ion 2.6 Ah. Charging time: Li-ion 45 min. Weight with

Li-ion: 0.9 kg.

❑ Supplied in a Systainer SYS 1 T-LOC with: charger MXC, CENTROTEC tool chuck, CENTROTEC bit holder, FastFix 10 mm keyless chuck, PZ2 bit, Elbow Adapter CXS, spare battery pack BP-XS Li-Ion 2.6 Ah.

| CXS Li 1.5 Set GB | code | list | normal price | FFF price |
|----------------------------|-----------|---------|--------------|----------------|
| Drill set with attachments | FES564533 | £224.00 | £197.12 | £179.20 |



Festool Cordless Drill T 15+3 Li This powerful professional drill offers: SPECIFICATION: Battery voltage: 14.4 V. Idling speed: 1st gear/2nd gear: 0 - 450/0 - 1,500 min⁻¹. Drilling diameter: wood/steel 35/16 mm. Torque adjustment: 0.5 - 8/0.5 - 6.3 Nm. Max torque: wood/steel 27/40 Nm. Chuck range: 1.5 - 13 mm. Battery: Li-ion 5.2 Ah. Charging time: Li-ion 90 min. Weight with Li-ion: 1.5 kg.

❑ **BASIC Version** Supplied in a SYSTAINER SYS 2 T-LOC with: CENTROTEC tool chuck, CENTROTEC bit holder, FastFix 13 mm keyless chuck, PZ2 bit,

49 x 98 x 71 mm yellow plastic container, 98 x 147 x 71 mm green plastic container [NO battery pack or charger]

❑ **FULL version** Supplied as listed in basic version above in addition to: battery pack Li-ion 5.2 Ah., TCL 3 charger, FastFix angle attachment and FastFix eccentric attachment.

| T 15+3 Li 5, 2-Set GB 240 V | code | list | normal price | FFF price |
|-----------------------------|-----------|---------|--------------|----------------|
| Basic | FES564604 | £178.00 | £156.64 | £142.40 |
| Full | FES564563 | £443.00 | £389.84 | £354.40 |

FESTOOL PLUNGE SAWS



TS55 REBQ Plus- FS GB The hugely popular TS55! The best ever circular saw offering very precise cutting in materials up to 55 mm thick. Perfect for cutting ply tops to size or doors to length using the guide rail. This saw will provide splinter-free very high-quality results.

SPECIFICATION: Power consumption: 1,200 W. Idle engine speed: 2,000 - 5,200 min⁻¹. Saw blade diameter: 160 mm. Inclination: -1/+47°. Cutting depth: 0 - 55 mm. Cutting depth at 45°: 43 mm. Cutting depth at 90°/45°: 0 - 43/0 - 55 mm. Connection Ø d/e: 27/36 mm. Weight: 4.5 kg.

❑ Supplied in Systainer 4 T-LOC complete with: fine-tooth blade HW W48, guide rail FS 1400/2, splinter guard, flag window, vision panel and operation tool.

| TS55 REBQ-Plus-FS-GB | code | list | normal price | FFF price |
|--------------------------|-----------|---------|--------------|----------------|
| 240V INC FREE GUIDE RAIL | FES561583 | £439.00 | £386.32 | £351.20 |
| 110V EX GUIDE RAIL | FES561554 | £395.00 | £347.60 | £316.00 |



TS75 EBQ Plus FS GB Another winner from Festool with all the features of the TS55 but with more power delivering an increased cutting depth of 75 mm. Ideal for cutting through multiple boards in one pass.

SPECIFICATION: Power consumption: 1,600 W. Idle engine speed: 1,350 - 3,550 min⁻¹. Saw blade diameter: 210 mm. Cutting depth: 0 - 75 mm. Cutting depth at 45°: 55 mm. Cutting depth at 90°/45°: 0 - 55/0 - 75 mm. Inclination: 0 - 47°. Connection Ø d/e: 27/36 mm. Weight: 6.2 kg.

❑ Supplied in Systainer SYS5 T-LOC complete with: universal blade W36, guide rail FS1400/2, splinter guard, kickback stop and operation tool.

| TS75 EBO-Plus-FS-GB 240 V | code | list | normal price | FFF price |
|---------------------------|-----------|---------|--------------|----------------|
| Circular Saw | FES561514 | £586.00 | £515.68 | £468.80 |

The best plunge-cut saw is now INDEPENDENT



TSC55 Cordless Plunge Saw Introducing the best ever circular saw offering very precise cutting in materials up to 55 mm thick. Perfect for cutting ply tops to size or doors to length by using the guide rail. This saw will provide splinter-free very high-quality results. The new cordless

set-up ensures that you'll get the job done regardless of the site location and proximity to a power point, without compromising on power!

SPECIFICATION: Battery Voltage: 18/36 V. Idle engine speed: 2,650-3800/5,200 min⁻¹. Saw blade diameter: 160 mm. Inclination: -1/+47°. Cutting depth: 0 - 55 mm. Cutting depth at 45°: 43 mm. Connection Ø d/e: 27/36 mm. Weight: 4.6/5.3 kg. Li-ion battery capacity: 5.2 Ah.

❑ **BASIC Version** Supplied in a SYSTAINER SYS 5 T-LOC with: a fine tooth saw blade HW W48, chip collection bag, splinter guard, Flag window [vision panel].

❑ **PLUS Version** Supplied as listed in basic version above in addition to: 2 x battery pack BPC 18 Li 5.2 Ah, TCL 3 charger.

| TSC55 Cordless Plunge Saw | code | list | normal price | FFF price |
|---------------------------|-----------|---------|--------------|----------------|
| Basic Version | FES561737 | £384.00 | £337.92 | £307.20 |
| Plus Version | FES561713 | £580.00 | £510.4 | £464.00 |

FESTOOL JIGSAWS



Carvex PS 420 Lightweight assembly jigsaws with a powerful pulling force and unrivalled profile-cutting capacity.

SPECIFICATION: Power supply: 240 V. Power consumption: 550 W. Stroke rate: 1,500 - 3,800 min⁻¹. Pendulum cover adjustment in stages: 4. Cutting depth: wood 120 mm, NF metals 20 mm, steel [soft] 10 mm. Weight: 1.9 kg.

❑ Supplied in a Systainer SYS 2 T-LOC with: two blades & splinter guard.

| Carvex PS 420 Jigsaws | code | list | normal price | FFF price |
|-------------------------------|-----------|---------|--------------|----------------|
| Jigsaw PSB [standard version] | FES561590 | £286.00 | £251.68 | £228.80 |
| Jigsaw PSB [with top handle] | FES561605 | £286.00 | £251.68 | £228.80 |

FESTOOL PLANER



Planer EHL 65 This is a favourite with professional carpenters. Really great value.

SPECIFICATION: Power consumption: 720 W. Rotational speed: 15,600 min. Planing width: 65 mm. Planing depth: 0 - 4 mm. Max rebate depth: 23 mm. Connection Ø d/e: 27 mm. Noise at idling speed: 76 dB[A]. Weight: 2.4 kg.

❑ Supplied in Systainer SYS 2 T-LOC with: parallel fence and tool.

| EHL 65 EQ GB 240 V | code | list | normal price | FFF price |
|--------------------|-----------|---------|--------------|----------------|
| One-Handed Planer | FES574560 | £235.00 | £206.80 | £188.00 |

FESTOOL SLIDING COMPOUND MITRE SAW

KS 120 UG-set GB 240 V A sliding compound mitre saw that combines a large cutting capacity with a compact lightweight design that achieves the precision needed for high-quality results and detailed solutions to inspire any professional user.

SPECIFICATION: Power consumption: 1,600 W. Idle engine speed: 1,400 - 3,400 rpm. Saw blade diameter: 260 mm. Inclination angle: 47 - 47°. Mitre angle: 50°/60°. Cutting depth at 90°/90°: 305 x 88 mm. Cutting depth at 45°/90°: 215 x 88 mm. Cutting depth at 45°/45°[left]: 215 x 55 mm. Cutting depth at 45°/45°[right]: 215 x 35 mm. Special cutting depth at 45°/90°[right]: 20 x 120 mm. Crown moulding diagonal cut 168 mm 0 - 43/0 - 55 mm. Connection Ø d/e: 27/36 mm. Dimensions: 713 x 500 x 470 mm. Work height: 900 mm. Weight: 21.5 kg.

❑ Supplied in a carton with: HW universal saw blade W60, bevel, work piece clamp, operation tool, underframe, adjustable stop, telescopic slide-out scale, fold-out pedestal and carry case.

| KS 120 UG-Set GB 240 V | code | list | normal price | FFF price |
|------------------------|-----------|-----------|--------------|-----------------|
| Compound Mitre Saw | FES561417 | £1,493.00 | £1,313.84 | £1194.40 |

FESTOOL SANDING AND POLISHING EQUIPMENT



Geared Eccentric Sander ROTEX RO 90 DX The sander from Festool is ideally suited for sanding off paint and varnish especially on vertical or overhead surfaces. The interchangeable heads allow access into corners and edges and the lightweight compact housing prevents fatigue. SPECIFICATION: Power consumption: 400 W. ROTEX rotary motion speed: 260 - 520 min⁻¹. Eccentric motion speed: 3,500 - 7,000 min⁻¹. Sanding stroke: 3 mm. FastFix sanding pad Ø: 90 mm. Connection Ø d/e: 27 mm. Weight: 1.5 kg. Supplied in a Systainer SYS 2 T-LOC with: FastFix Ø 90 mm [soft-HT] sanding pad, StickFix sanding pad V93 and a Festool PROTECTOR.

| RO 90 DX FEQ-Plus GB 240 V | code | list | normal price | FFF price |
|----------------------------|-----------|------|--------------|----------------|
| Rotex eccentric sander | FES571821 | £382 | £403.40 | £366.72 |



Sander Polisher RO 150/125 FEQ-Plus GB 240 V I have used the 125 mm version of this machine since its introduction and I can't praise it too highly. There is a choice between a coarse sanding motion for very rapid stock removal and a fine sanding motion for superb finishes. The 150 mm version is even more powerful but a little heavier. SPECIFICATION: ROTEX

150/125 Power supply: 240 V. Power consumption: 720/500 W. ROTEX rotary motion speed: 320 - 660/300 - 600 min⁻¹. Eccentric motion speed: 3,300 - 6,800/3,000 - 6,000 min⁻¹. Sanding stroke: 5/3.6 mm. FastFix sanding pad Ø: 150/125 mm. Connection Ø d/e: 27 mm. Weight: 2.3/1.9 kg.

Supplied in Systainer SYS 2 T-LOC with: FastFix Pad Ø 150/125 mm [soft HT] and a Festool PROTECTOR.

| RO 150 [125] FEQ-Plus GB 240 V | code | list | normal price | FFF price |
|--------------------------------|-----------|---------|--------------|----------------|
| 150 mm Sander | FES571808 | £467.00 | £410.96 | £373.60 |
| 125 mm Sander | FES571784 | £397.00 | £349.36 | £317.60 |



Sander Polisher ETS 150/3 EQ-Plus GB 3 mm sanding stroke for an excellent surface finish. Perfect for final sanding on paintwork, wood and plastic. Weighs only 1.8 kg for effortless work. Sanding pad brake for safe and faultless work. SPECIFICATION: Power consumption: 310 W. Speed: 4,000 - 10,000 min. Sanding stroke: 3 mm. Interchangeable sanding pad Ø: 150 mm. Connection Ø d/e: 27 mm. Weight: 1.8 kg.

Supplied in a Systainer SYS 3 T-LOC with: sanding pad StickFix Ø 150 mm [extra-soft], filter cartridge and operation tool.

| ETS 150/3 EQ-Plus GB 240 V | code | list | normal price | FFF price |
|----------------------------|-----------|---------|--------------|----------------|
| 150 mm Eccentric Sander | FES571901 | £351.60 | £309.41 | £281.28 |



Delta Triangular Sander DTS 400 EQ-Plus GB Triangle-shaped sanding pad for efficient sanding of corners and other awkward spots. Significant time saving and less reworking. The enclosed dustproof bearing and extremely tear-resistant MPE sanding pad ensure a long service life and maximum economic efficiency. Effective integral turbo dust extractor.

Small, lightweight and extremely handy for non-tiring work. SPECIFICATION: Power consumption: 200 W. Speed: 6,000 - 14,000 min. No. of strokes: 12,000 - 28,000 min. Sanding stroke: 2 mm. Interchangeable sanding pad: 100 x 150 mm. Connection Ø d/e: 27 mm. Weight: 1.1 kg. Supplied in a Systainer SYS 2 T-LOC with StickFix 100 x 150 mm sanding pad, a StickFix abrasive sheet and a filter cartridge.

| DTS 400 EQ-Plus GB | code | list | normal price | FFF price |
|-------------------------|-----------|---------|--------------|-------------|
| Delta Triangular Sander | FES567872 | £250.00 | £220.00 | £200 |



Festool DUPLEX Linear Sander At last a profile sander with a hand action which will easily sand handrails, poles, cove lines, recesses etc.

Power consumption: 260 W. Speed: 4,000 - 6,000 min⁻¹. No of strokes 8,000 - 1,200 min⁻¹. Sanding stroke: 3 mm. Interchangeable sanding pad: 133 x 80 mm. Connection Ø d/e: 27 mm. Weight: 1.7 kg. Supplied in a Systainer SYS 1 T-LOC with: StickFix standard sanding pad, profile sanding pad 90° and StickFix abrasive discs.

| LS 130 EQ-Plus GB 240V | code | list | normal price | FFF price |
|------------------------|-----------|---------|--------------|----------------|
| Linear Profile Sander | FES567853 | £349.00 | £307.12 | £279.20 |

FESTOOL RUSTOFIX TIMBER TEXTURER



Rustofix Timber Texturer This amazing machine will produce three-dimensional raised texture wooden surfaces in no time at all. One tool for texturing, intermediate sanding and smoothing. When coupled with a Festool extractor, dust and mess will be minimal. This is certainly a massive improvement on sandblasting

or blowtorching timber – and safer too! SPECIFICATION: Power consumption: 1,500 W. Idle engine speed: 800-4,000 min⁻¹. Tool diameter: 150 mm. Connection Ø d/e: 27 mm. Weight: 7.5 kg. Supplied in carrying case with: LD 85 brush, KB 80 brush, extractor hood with handle, tool arbour, clamping flange, operation tool.

| RAS 180.03 E-HR GB 240 V | code | list | normal price | FFF price |
|--------------------------|-----------|---------|--------------|----------------|
| Rustofix Timber Texturer | FES570748 | £793.00 | £697.84 | £634.40 |

FESTOOL DOMINO JOINTING SYSTEM



The DOMINO jointing system An essential component in wooden jointing.

✓ More versatile: suitable for panel joins, and jointing frames and racks ✓ More stable: the special shape and large surface area for gluing on the DOMINO dowel ensure maximum stability

✓ Quicker: the first dowel hole is aligned with extreme ease and routed accurately using stop pins. It secures the joined work pieces immediately, accurately and flush with the edge ✓ The system also tolerates smaller inaccuracies in adjacent dowel holes, allowing you to work even more quickly and easily

DOMINO Jointing System DF 500 Q-Plus GB

As unique as the system: the DOMINO jointer combines exceptional versatility with simple handling and maximum precision.

DOMINO Jointing System XL DF 700 EQ-Plus GB The latest model capable of 140 mm tenons! Extra mobile. Extra stable.

| Domino Jointing System Machines | code | list | normal price | FFF price |
|---------------------------------|-----------|---------|--------------|----------------|
| DF 500 Q-Plus GB 240 V | FES574327 | £624.00 | £549.12 | £499.20 |
| DF 700 EQ-Plus GB 240 V | FES574420 | £864.00 | £760.32 | £676.80 |

FESTOOL ROUTER



Router OF 1400 EBQ Plus GB

SPECIFICATION: Power supply: 240 V. Mains frequency: 50 Hz. Power consumption: 1,400 W. Idle engine speed: 10,000 - 22,500 min⁻¹. Routing depth adjustment range: 70 mm. Fine height adjustment range: 8 mm. Connection Ø d/e: 27/36 mm. Weight: 4.5 kg.

Supplied in a Systainer SYS 4 T-LOC complete with: Ø 8 mm clamping collet, Ø 12 mm clamping collet, Ø 12.7 mm [1/2"] clamping collet, parallel side fence with fine adjustment and extraction hood, copy ring Ø 30 mm, extraction hood, top, chip deflector and operation tool.

| OF 1400 EBQ-Plus GB | code | list | normal price | FFF price |
|---------------------|-----------|---------|--------------|----------------|
| Router | FES574345 | £486.00 | £427.68 | £388.80 |

FESTOOL DUST EXTRACTION

All Festool Dust Extractors stocked by Flints are included in the **FFF** promotional offer. Please see our catalogue for full details.

| CTL MINI GB 240 V | code | list | normal price | FFF price |
|-----------------------------|-----------|---------|--------------|----------------|
| Dust Extractor Mini 240 V | FES584153 | £299.00 | £263.12 | £239.20 |
| Dust Extractor Mini 110 V | FES584154 | £299.00 | £263.12 | £239.20 |
| CTL MIDI GB | code | list | normal price | FFF price |
| Midi Dust Extractor 240 V | FES584162 | £325.00 | £286.00 | £260.00 |
| Midi Dust Extractor 110 V | FES584163 | £325.00 | £286.00 | £260.00 |
| CTL 26 E GB 240 V and 110 V | code | list | normal price | FFF price |
| Dust Extractor CTL26 240 V | FES583499 | £445.00 | £391.60 | £356.00 |
| Dust Extractor CTL26 110 V | FES583498 | £445.00 | £391.60 | £356.00 |