



ROSCO PREMIERE CLEAR GLOSS (No.6810)
 ROSCO PREMIERE CLEAR SATIN (No.6820)
 ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS No.:6810, 6820, 6830

MSDS Preparation Date: June 22, 2007

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name : ROSCO PREMIERE CLEAR GLOSS (No.6810)
 ROSCO PREMIERE CLEAR SATIN (No.6820)
 ROSCO PREMIERE CLEAR FLAT (No.6830)
 None.

Product Use : Paint

Chemical Family : Mixture.

Supplier's name and address:
Rosco Laboratories Inc.
 52 Harbor View Avenue
 Stamford, CT, United States
 06902

24 Hr. Emergency Tel # : (800) 424-9300

HMIS Rating : * - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: * 2 *Flammability:* 2 *Reactivity:* 0

WHMIS Classes:



FLAMMABLE



TOXIC

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>% (weight)</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
			<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
1-Methyl-2-pyrrolidinone	872-50-4	1.0 - 5.0	AIHA WEEL: 10 ppm - Skin	N/Av	N/Av	N/Av
Diethylene glycol m-methyl ether	111-77-3	1.0 - 5.0	N/Av	N/Av	N/Av	N/Av
Dibutyl phthalate	84-74-2	0.1 - 1.0	5 mg/m3 TWA	N/Av	5 mg/m3 TWA	N/Av

* Note: The ACGIH TLV listed above for the following ingredient(s) is an AIHA WEEL: 1-Methyl-2-pyrrolidinone.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear liquid. Moderate eye irritant. WARNING! Combustible liquid. Harmful if inhaled. Inhalation may cause respiratory irritation and central nervous system depression. May be harmful if swallowed. May cause mild skin irritation. May cause skin sensitization. Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

*****POTENTIAL HEALTH EFFECTS*****

Target organs : Eyes, skin, respiratory system, central nervous system, liver and kidneys.

Routes of exposure : *Inhalation:* YES *Skin Absorption:* YES *Skin & Eyes:* YES *Ingestion:* YES

Potential acute health effects :



ROSCO PREMIERE CLEAR GLOSS (No.6810)
ROSCO PREMIERE CLEAR SATIN (No.6820)
ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS No.:6810, 6820, 6830

MSDS Preparation Date: June 22, 2007

Page 2 of 7

- Eyes:* Moderate eye irritation. Contains materials corrosive or severely irritating to the eyes. Temporary vision impairment (cloudy or blurred vision) is possible.
- Skin:* May cause mild skin irritation on prolonged contact. Symptoms may include redness, itching and swelling. Components of the product may be absorbed into the body through the skin. Not expected to be harmful to internal organs if absorbed through the skin.
- Inhalation:* Overexposure to heated sprays or mists may cause irritation to the upper respiratory system. Prolonged exposure to vapours may be harmful to health. If higher concentrations are inhaled, additional symptoms may include coughing, shortness of breath, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Sanding and grinding dusts may be harmful if inhaled.
- Ingestion:* May cause gastrointestinal irritation. Gastrointestinal irritation may include abdominal pain, nausea, diarrhea and vomiting. May produce signs of intoxication characterized by incoordination, dizziness, drowsiness, headache, nausea, mental confusion, possibly slurred speech, and stupor, depending on the quantity of material ingested. Liver and kidney injuries may occur.

Potential chronic health effects

- : Chronic exposure may cause dermatitis. Irritation of the mucous membranes and upper respiratory tract. May cause central nervous system depression. This product contains: Dibutyl phthalate. May cause central nervous system depression.

Medical conditions aggravated by overexposure

- : Pre-existing eye, skin, respiratory, liver, kidney and central nervous system disorders.

Additional health hazards

- : None reported by the manufacturer.

Potential environmental effects

- : None reported by the manufacturer.

SECTION 4 - FIRST AID MEASURES

- Inhalation** : If breathed in, move person into fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact** : Flush with plenty of water. Wash off with soap and plenty of water. Remove and wash contaminated clothing before re-use. If irritation persists, seek prompt medical attention.
- Eye contact** : Immediately flush eyes with plenty of water for at least 15 minutes. After initial flushing, remove any contact lenses if worn, and continue flushing for at least 5 to 10 minutes. If easy to do, remove contact lenses.
- Ingestion** : Call a physician or Poison Control Centre immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If victim is alert and not convulsing, rinse mouth out and give 1/2 to 1 glass of water to dilute material. Seek immediate medical attention/advice.
- Notes For Physician** : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

- : Combustible liquid. Material will burn. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.1200)

- : OSHA Combustible Liquid IIIB.

Flash point

- : 93.3 °C (200 °F)

Flash point Method

- : Not available.

Auto-ignition temperature : N/Av

Lower flammable limit (% by vol.)

- : 0.6

Upper flammable limit (% by vol.)

- : 22.0

Suitable extinguishing media

- : Dry chemical, carbon dioxide and foam. Extinguishing media - large fires: Water spray, water fog.

Explosion data: Sensitivity to mechanical impact / static discharge

- : May be sensitive to static discharge. Not expected to be sensitive to mechanical impact.

Special fire-fighting procedures/equipment



ROSCO PREMIERE CLEAR GLOSS (No.6810)
ROSCO PREMIERE CLEAR SATIN (No.6820)
ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS No.:6810, 6820, 6830

MSDS Preparation Date: June 22, 2007

Page 3 of 7

Hazardous combustion products : Firefighters should wear an approved full-face, self-contained breathing apparatus (SCBA) and impervious clothing. Do not allow run-off from fire fighting to enter drains or water courses. Do not use a solid water stream as it may scatter and spread fire. Water spray may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.

Oxidizing properties : Upon combustion, carbon dioxide, carbon monoxide, nitrogen oxides and unidentified organic compounds may be formed.

: None reported by the manufacturer.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

- Personal precautions** : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Ensure clean-up is conducted by trained personnel only. Avoid breathing vapours. Wear resistant clothing and boots. Avoid skin contact. Evacuate personnel to safe areas.
- Environmental precautions** : Prevent product from entering drains, sewers, waterways and soil.
- Spill response/cleanup** : Eliminate all ignition sources if safe to do so. Ventilate area of release. Stop spill or leak at source if safely possible. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).
- Containment** : Should not be released into the environment. Recover free liquid or cover with inert absorbent material and place into appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

- Safe Handling procedures** : Use with adequate ventilation. Avoid breathing vapour or mist. Avoid contact with skin and eyes. Wash hands thoroughly after using this product, and before eating, drinking or smoking. Avoid breathing of dust created by cutting, sanding, or grinding. Sanding and grinding dusts may be harmful if inhaled. Do not re-use empty containers. Do not puncture container. Do not freeze. Wear suitable protective equipment. Do not ingest. Keep out of direct sunlight. Keep out of the reach of children. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Close containers after each use. Keep in properly labelled containers. Do not pressurize, cut, heat or weld empty containers.
- Storage requirements** : Store in a cool, dry, well-ventilated area. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Do not freeze. Keep container tightly closed when not in use. Store in upright position only. Keep out of the reach of children. Empty product containers may contain hazardous product residue. Store out of direct sunlight. Keep away from oxidizing materials. Inspect periodically for damage or leaks. Do not store above 49°C.
- Incompatible materials** : Oxidizing agents
- Special packaging materials** : Liquid-proof glass, plastic or non-corrodable metal containers are recommended.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

- Ventilation and engineering measures** : Local exhaust is preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits. Use explosion-proof equipment. Use non-sparking equipment. Discharge exhaust only in area away from ignition sources.
- Respiratory protection** : Use NIOSH/MSHA approved full-face respirator with an organic vapour cartridge if the recommended exposure limit is exceeded. In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.
- Skin protection** : Gloves impervious to the material are recommended. Advice should be sought from glove suppliers.



ROSCO PREMIERE CLEAR GLOSS (No.6810)
ROSCO PREMIERE CLEAR SATIN (No.6820)
ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS No.:6810, 6820, 6830

MSDS Preparation Date: June 22, 2007

Page 4 of 7

- Eye / face protection** : Safety glasses with side-shields or chemical splash goggles. Do not wear contact lenses.
- Other protective equipment** : Emergency showers and eyewash facilities should be nearby. Depending on conditions of use, safety shoes and additional protective clothing may also be necessary. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.
- General hygiene considerations** : Wash hands thoroughly after using this product, and before eating, drinking or smoking. Wash hands before breaks and at the end of workday.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|--|---|
| Physical state : Liquid. | Appearance : Clear liquid. |
| Odour : Not available. | Odour threshold : Not available. |
| pH : Not available. | |
| Boiling point : 100 °C (212 °F) - 196 °C (385 °F) | Specific gravity : 1.03 |
| Melting/Freezing point : Not available. | Coefficient of water/oil distribution : Not available. |
| Vapour pressure (mmHg @ 20° C / 68° F) : 17 | Solubility in water : Soluble |
| Vapour density (Air = 1) : Not available. | Evaporation rate (n-Butyl acetate = 1) : 0.20 |
| Volatile organic Compounds (VOC's) (lbs/gal;g/l) : 2.4 - 2.6 | Volatiles (% by weight) : 69-73 |
| Viscosity : Not available. | |
| Special Remarks On Fire Hazards : Combustible liquid. May spatter if the temperature exceeds the boiling point. | |

SECTION 10 - REACTIVITY AND STABILITY DATA

- Stability and reactivity** : Stable under the recommended storage and handling conditions prescribed.
- Hazardous polymerization** : Will not occur.
- Conditions to avoid** : High temperatures. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Incompatible with oxidizing agents. Do not freeze.
- Materials To Avoid And Incompatibility** : See Section 7 (Handling and Storage) section for further details.
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Ingredients	LC₅₀(4hr) inh. rat	LD₅₀	
		oral	dermal
1-Methyl-2-pyrrolidinone	N/Av	3914 mg/kg	8000 mg/kg
Diethylene glycol m-methyl ether	> 50,000 mg/m3	4140-5180 mg/kg	2500 µL/kg
Dibutyl phthalate	4250 mg/m3/4hr	3474 mg/kg (mouse); 7499 mg/kg (rat)	> 20 mL/kg

- Toxicological data** : Low order of toxicity for normal industrial handling.
- Carcinogenic status** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.



ROSCO PREMIERE CLEAR GLOSS (No.6810)
ROSCO PREMIERE CLEAR SATIN (No.6820)
ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS No.:6810, 6820, 6830

MSDS Preparation Date: June 22, 2007

- Reproductive effects** : Contains a chemical or chemicals which may cause male and/or female reproductive toxicity. This product contains: Diethylene glycol monomethyl ether.
- Teratogenicity** : This product contains Diethylene glycol monomethyl ether. Diethylene glycol monomethyl ether was found to be fetotoxic, embryotoxic and/or teratogenic in the absence of maternal toxicity, based on animal data. This product contains Dibutyl phthalate. Dibutyl phthalate may be fetotoxic, embryotoxic and/or teratogenic in the absence of maternal toxicity, based on animal data.
- Mutagenicity** : An ingredient in this product has shown positive results in a yeast cell test system for mutagenicity.
- Reproductive Effects** : Contains a chemical or chemicals which may cause male and/or female reproductive toxicity. This product contains: Diethylene glycol monomethyl ether.
- Irritancy** : Moderate eye irritation.Mild skin irritant.
- Sensitization to material** : Contains a chemical or chemicals which may cause skin sensitization. This product contains: Dibutyl phthalate.
- Synergistic materials** : This product contains an ingredient which may enhance the skin penetration of other substances. This property has been used in cosmetic and pharmaceutical applicaitons of the ingredient. This product contains: N-methyl-2-pyrrolidone.

SECTION 12 - ECOLOGICAL INFORMATION

- Environmental effects** : The ecological characteristics of this product have not been fully investigated. However, it is recommended not to allow the material to enter the environment.
- Important environmental characteristics** : None known or reported by the manufacturer.
- Ecotoxicological** : No data is available on the product itself.

SECTION 13 - DISPOSAL CONSIDERATIONS

- Handling for Disposal** : See Section 7 (Handling and Storage) section for further details.
- Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules. Do not puncture or incinerate. Contact waste disposal services.

SECTION 14 - TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	not regulated	none	
TDG Additional information	None.				
49CFR/DOT	None	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.				
ICAO/IATA	None	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				



ROSCO PREMIERE CLEAR GLOSS (No.6810)
ROSCO PREMIERE CLEAR SATIN (No.6820)
ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS No.:6810, 6820, 6830

MSDS Preparation Date: June 22, 2007

IMDG	None	Not regulated.	not regulated	none	
IMDG Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.
 SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimus concentrations. This product contains: N-methyl-2-pyrrolidone, Dibutyl phthalate.
 CERCLA Reportable Quantity (RQ) (40 CFR 117.302): This product contains a chemical or chemicals which has or have an established reportable quantity from the EPA and DOT 49 CFR. This product contains: Dibutyl phthalate. US CERCLA Reportable quantity (RQ): 10 lbs.

US State Right to Know Laws:



California Proposition 65: This product contains a chemical known to the State of California to cause developmental harm. This product contains: N-methyl-2-pyrrolidone, dibutyl phthalate.

Canadian Regulations:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).
 Canadian WHMIS Classification: B3, D2A, D2B.
This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

- Legend** :
- ACGIH: American Conference of Governmental Industrial Hygienists
 - IARC: International Agency for Research on Cancer
 - N/Ap: not applicable
 - N/Av: not available
 - NIOSH: National Institute of Occupational Safety and Health
 - NTP: National Toxicology Program
 - OSHA: Occupational Safety and Health Administration
- References** :
- Information obtained from sources including original supplier's Material Safety Data Sheet, and references including RTECS and CCOHS Cheminfo.

<p><u>Prepared for:</u> Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, USA, 06902 Phone: (203) 708 8900 http://http://www.rosco.com/</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. Canada: 1-888-977-4834 USA: 1-888-442-9628 http://www.thecompliancecenter.com</p>	



Rosco Laboratories Inc.
52 Harbor View Avenue
Stamford, CT, USA, 06902
Phone: (203) 708 8900

ROSCO PREMIERE CLEAR GLOSS (No.6810)

MSDS No.:6810, 6820, 6830

ROSCO PREMIERE CLEAR SATIN (No.6820)

ROSCO PREMIERE CLEAR FLAT (No.6830)

MSDS Preparation Date: June 22, 2007

Page 7 of 7

DISCLAIMER OF LIABILITY

Every effort has been made to ensure that the safety information on this sheet is accurate, but because Rosco Laboratories, Inc. has no control over the conditions under which the product will be used, liability is limited exclusively to replacement or refund of the purchase price of this product. Except as stated herein, there are no express or implied warranties, including implied warranties of merchantability or fitness for a particular purpose. Rosco Laboratories, Inc. assumes no liability for injury or incidental or consequential damages arising out of storage, handling or use of this product.

Preparation Date: : June 22, 2007

END OF DOCUMENT