

# ROSCO

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**Issuing Date:** 04-Nov-2019

**Revision Date:** 04-Nov-2019

**Revision Number:** 1

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>Product Name</b>	<b>ROSCO FLEXBOND</b>
<b>Product Code</b>	<b>150 07500</b>
<b>Alternate Product Code</b>	None
<b>Product Class</b>	Water Thinned Paint
<b>Color</b>	White Clear
<b>Recommended use</b>	Paint
<b>Restrictions on use</b>	No information available

#### **Roscolab Limited**

Blanchard Works  
Kangley Bridge Road  
Sydenham  
London SE26 5AQ  
Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)  
Email: info.emea@rosco.com

#### **Rosco Laboratories Inc.**

52 Harbor View Avenue  
Stamford, CT 06902, USA  
Phone: (203)-708-8900  
www.rosco.com

#### **Emergency Telephone**

CHEMTREC: +1-703-741-5970  
CHEMTREC (United Kingdom Local Number): +44-870-8200418

### Section 2: HAZARDS IDENTIFICATION

#### **2.1. Classification of the substance or mixture**

Not classified

#### **2.2. Label elements**

##### **Product Identifier**

GHS-US Labeling

Precautionary Statements (GHS-US): P280 – Wear protective gloves, protective clothing, and eye protection.  
P308+P313 – If exposed or concerned: Get medical advice/attention.

##### **Signal word**

None

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

**2.3. Other hazards**

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**2.4. Unknown Acute Toxicity (GHS-US)**

44.48 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1. Substances**

Not applicable

**3.2. Mixtures**

Chemical Name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Vinyl acetate polymer		9003-20-7	3 – 7		
Propanol, oxybis-, dibenzoate		27138-31-4	7 – 13		

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

**4.1. Description of first aid measures****General Advice**

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**Eye Contact**

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

**Skin Contact**

Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**Inhalation**

Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**Ingestion**

Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

**4.2. Most important symptoms and effects, both acute and delayed****General**

None expected under normal conditions of use.

**Eye Contact**

May cause eye irritation.

**Skin Contact**

May cause skin irritation.

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	Ingestion is likely to be harmful or have adverse effects.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>General</b>	If you feel unwell, seek medical advice (show the label when possible).
----------------	---

### **Section 5: FIRE-FIGHTING MEASURES**

#### **5.1. Extinguishing media**

<b>Suitable Extinguishing Media</b>	Use extinguishing media appropriate for surrounding fire.
<b>Unsuitable Extinguishing Media</b>	Do not use heavy water stream. Use heavy stream of water may spread fire.

#### **5.2. Special hazards arising from the substance or mixture**

<b>Fire Hazard</b>	May be combustible at high temperature.
<b>Explosion Hazard</b>	Explosive when mixed with oxidizing substances.
<b>Reactivity</b>	Hazardous reactions may occur on contact with certain chemicals. Refer to incompatible materials.

#### **5.3. Advice for firefighters**

<b>Precautionary Measures Fire</b>	Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
<b>Firefighting Instructions</b>	Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
<b>Protection During Firefighting</b>	Do not enter fire area without proper protective equipment, including respiratory protection.
<b>Hazardous Combustion Products</b>	Under fire conditions this material may produce hazardous carbon dioxide (CO <sub>2</sub> ), carbon monoxide (CO), various low molecular weight hydrocarbons, and smoke.
<b>Reference to Other Sections</b>	Refer to section 9 for flammability properties.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Avoid all unnecessary exposure. Do not allow contact with incompatible materials (see section 10).
<b>For Non-Emergency Personnel</b>	Protective Equipment: Use appropriate personal protection equipment (PPE). Emergency Procedures: Evacuate unnecessary personnel.

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

<b>For Emergency Personnel</b>	Protective Equipment: Equip cleanup crew with proper protection. Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.
<b>Other Information</b>	Observe all relevant local and international regulations.
<b><u>6.2. Environmental precautions</u></b>	
<b>Environmental precautions</b>	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
<b><u>6.3. Methods and material for containment and cleaning up</u></b>	
<b>Methods for Containment</b>	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Do not take up in combustible material such as: saw dust or cellulosic material.
<b>Methods for Cleaning Up</b>	Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Use only non-sparking tools.
<b><u>6.4. Reference to other sections</u></b>	
<b>Other information</b>	See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## Section 7: HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

<b>Handling</b>	Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### **7.2. Conditions for safe storage, including any incompatibilities**

<b>Technical Measures</b>	Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.
<b>Storage</b>	Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep in fireproof place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
<b>Incompatible Materials</b>	Strong acids, strong bases, strong oxidizers.

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

**7.3. Specific end use(s)**

**Specific Uses** No use is specified.

**Risk Management Methods (RMM)** Not applicable.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1. Control parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

**8.2. Exposure controls****Occupational exposure controls****Engineering Measures**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure, but are not required. Product to be handled under strictly controlled conditions. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits.

**Personal Protective Equipment**

Protective clothing. Insufficient ventilation: wear respiratory protection.

**Respiratory Equipment**

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Eye Protection**

In case of splash hazard: chemical goggles or safety glasses.

**Skin Protection**

Wear suitable protective clothing.

**Hand Protection**

In case of repeated or prolonged contact wear gloves.

**Materials for Protective Clothing**

Chemically resistant materials and fabrics.

**Environmental Exposure Controls**

Do not allow the product to be released into the environment.

**Consumer Exposure Controls**

Do not eat, drink, or smoke during use.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid
<b>Appearance</b>	White
<b>Odor</b>	Mild
<b>Odor Threshold</b>	Not available

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

<u>Property</u>	<u>Values</u>	<u>Remarks/Method</u>
Density (g/L)	No information available	None known
Relative Density	1.08 g/mL	None known
pH	4.0-6.0	None known
Viscosity (cps)	2,000 – 2,800 cps @ 25 °C (77 °F)	None known
Solubility(ies)	Moderately soluble in water	None known
Water solubility	No information available	None known
Evaporation Rate	1 [Ref Std: Water = 1.0]	None known
Vapor pressure	17.5mm Hg @ 20 °C (68 °F)	None known
Vapor density	No information available	None known
Wt. % Solids	58± 2%	None known
Vol. % Solids	No information available	None known
Wt. % Volatiles	0 g/L (0 lbs/gal)	None known
Vol. % Volatiles	No information available	None known
Boiling Point (°C)	100 °C (212 °F) (aqueous phase)	None known
Freezing Point (°C)	Product may be irreversibly damaged below 5°C (41 °F)	None known
Melting Point (°C)	Not applicable	None known
Pour Point	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper flammability limit:	Not applicable	None known
Lower flammability limit:	Not applicable	None known
Autoignition Temperature (°C)	Not applicable	None known
Decomposition Temperature (°C)	No information available	None known
Partition coefficient	No information available	None known
Explosive properties	Not expected to present an explosion due to mechanical impact	None known
	Not expected to present an explosion due to static discharge	None known
Oxidizing Properties	No information available	None known
Specific Gravity	1.08 @ 25 °C (77 °F)	None known

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

#### **Reactivity**

Hazardous reactions may occur on contact with certain chemicals. Refer to incompatible materials.

### 10.2. Chemical stability

#### **Chemical Stability**

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

#### **Possibility of hazardous reactions**

Hazardous reactions will not occur under normal conditions.

### 10.4. Conditions to avoid

#### **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

### 10.5. Incompatible materials

#### **Incompatible Materials**

Strong acids, strong bases, strong oxidizers.

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

**10.6. Hazardous decomposition products****Hazardous decomposition products**

Under fire conditions this material may produce hazardous carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), various low molecular weight hydrocarbons, and smoke.

**Section 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Product Information**

<b>Inhalation</b>	There is no data available for this product.
<b>Eye contact</b>	There is no data available for this product.
<b>Skin contact</b>	There is no data available for this product.
<b>Ingestions</b>	There is no data available for this product.

**Acute Toxicity**

Not classified

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Vinyl acetate polymer 9003-20-7	N/A	N/A	N/A
Propanol, oxybis-, Dibenzoate 27138-31-4	N/A	N/A	N/A

<b>Skin corrosion/irritation</b>	Not classified
<b>Eye damage/irritation</b>	Not classified
<b>Sensitization</b>	Not classified
<b>Mutagenic Effects</b>	Not classified

**Carcinogenic Effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Vinyl acetate polymer 9003-20-7		3

**Legend**

IARC – International Agency for Research on Cancer

NTP – National Toxicity Program

OSHA – Occupational Safety &amp; Health Administration

<b>Reproductive Effects</b>	Not classified
<b>Developmental Effects</b>	Not classified
<b>STOT – single exposure</b>	Not classified

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

<b>STOT – repeated exposure</b>	Not classified
<b>Neurological Effects</b>	Not classified
<b>Target organ effects</b>	Not classified
<b>Symptoms</b>	May cause respiratory, skin, eye irritation. Ingestion likely to be harmful or have adverse effects.
<b>Aspiration Hazard</b>	Not classified

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

The environmental impact of this product has not been fully investigated

### 12.2. Persistence and degradability

**Persistence / Degradability** No information available.

### 12.3. Bioaccumulative potential

**Bioaccumulation** No information available.

### 12.4. Mobility in soil

**Mobility in soil** No information available.

**Mobility in Environmental Media** No information available.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Vinyl acetate polymer 9003-20-7	The substance is not PBT / vPvB PBT assessment does not apply
Propanol, oxybis-, Dibenzoate 27138-31-4	The substance is not PBT / vPvB PBT assessment does not apply

### 12.6. Other adverse effects

**Other adverse effects** Avoid release to the environment.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Contaminated Packaging** No information available

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

**EWC waste disposal No**

No information available

**Other information**

This material is hazardous to the aquatic environment. Keep out of sewers and waterways. Avoid release to the environment.

## Section 14: TRANSPORT INFORMATION

**IMDG**

Not regulated

**RID**

Not regulated

**ADR**

Not regulated

**AND**

Not regulated

**IATA**

Not regulated

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Occupational Illnesses (R-463-3, France)****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

**AICS**

No – Not all of the components are listed.

**DSL: Canada**

Yes – All components are listed or exempt.

**EINECS: European Union**

No – Not all of the components are listed.

**ENCS**

No – Not all of the components are listed.

**IECSC**

No – Not all of the components are listed.

**KECL**

No – Not all of the components are listed.

**PICCS**

No – Not all of the components are listed.

**TSCA: United States**

Yes – All components are listed or exempt.

### 15.2 Chemical safety assessment

**Chemical Safety Report**

No information available

## Section 16: OTHER INFORMATION

**Classification procedure**

Expert judgment and weight of evidence determination

**Key literature references and sources for data**

Data from internal and external sources

**Prepared By**Product Stewardship Department  
Rosco Laboratories Inc.  
52 Harbor View Avenue  
Stamford, CT 06902, USA  
Phone: (203)-708-8900

150 07500 – ROSCO FLEXBOND

Revision Date: 04-Nov-2019

---

**Issuing Date** 04-Nov-2019**Revision Date** 04-Nov-2019**Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**